




SYMBOL	PLANT
	Douglas-fir
	Shore pine
	Bitter cherry
	Serviceberry
	Oceanspray
	Red flowering currant
	Mock orange
	Tall Oregon grape
	Snowberry
	Kinnikinnik
	Beach strawberry
	Thrift
	Nodding onion

PLANTING PLAN:

Dry, Sunny Conditions

0 2 4 6 Feet


Produced by: DNRP GIS, Visual
Communications and Web Unit
File: 0604_DrySun.ai lpre



King County

Department of Natural Resources and Parks
Water and Land Resources Division

Common Name	Scientific Name	Height (ft.)	Width (ft.)	Growth Rate
Douglas fir	<i>Pseudotsuga menziesii</i>	200	30	Moderate-Fast
Shore pine	<i>Pinus contorta</i>	50	30	Moderate
Bitter cherry	<i>Prunus emarginata</i>	30	20	Moderate
Serviceberry	<i>Amelanchier alnifolia</i>	15-30	10-20	Moderate
Oceanspray	<i>Holodiscus discolor</i>	8-10	3-7	Fast
Red flowering currant	<i>Ribes sanguineum</i>	4-10	3-10	Fast
Mock Orange	<i>Philadelphus lewisii</i>	6-10	4-10	Fast
Tall Oregon grape	<i>Mahonia aquifolium</i>	5-8	2-8	Moderate
Snowberry	<i>Symphoricarpos albus</i>	3-6	thicket	Fast
Kinnikinnick	<i>Arctostaphylos uva-ursi</i>	<1	2-15	Fast
Beach strawberry	<i>Fragaria chiloensis</i>	0.5-1	spreads	Fast
(Sea) Thrift	<i>Armeria maritima</i>	1	1	Moderate
Nodding onion	<i>Allium cernuum</i>	1	.5	Moderate



SYMBOL	PLANT
	Douglas-fir
	Shore pine
	Bitter cherry
	Pacific dogwood
	Oceanspray
	Vine maple
	Red elderberry
	Tall Oregon grape
	Evergreen huckleberry
	Salal
	Bald hip rose
	Sword fern
	Fringecup
	Beach strawberry
	Inside out flower

PLANTING PLAN:

Dry, Part Shady Conditions

0 2 4 6 Feet


Produced by: DNRP GIS, Visual
Communications and Web Unit
File: 0604_DryPartShade.ai lprc



King County

Department of Natural Resources and Parks
Water and Land Resources Division

Common Name	Scientific Name	Height (ft.)	Width (ft.)	Growth Rate
Douglas fir	<i>Pseudotsuga menziesii</i>	200	30	Moderate
Shore pine	<i>Pinus contorta</i>	50	30	Moderate
Bitter cherry	<i>Prunus emarginata</i>	30	20	Moderate
Pacific dogwood	<i>Cornus nuttallii</i>	60	30	Moderate
Oceanspray	<i>Holodiscus discolor</i>	16	15	Moderate
Vine maple	<i>Acer circinatum</i>	25	6	Moderate - Slow
Red elderberry	<i>Sambucus racemosa</i>	15	8	Moderate - Slow
Tall Oregon grape	<i>Mahonia aquifolium</i>	8	6	Moderate
Evergreen huckleberry	<i>Vaccinium ovatum</i>	6	6	Slow
Salal	<i>Gaultheria shallon</i>	3-6	12	Slow
Bald hip rose	<i>Rosa gymnocarpa</i>	5	thicket	Moderate-Fast
Sword fern	<i>Polystichum munitum</i>	3-6	3-6	Moderate
Fringecup	<i>Tellima grandiflora</i>	3	2	Fast
Beach strawberry	<i>Fragaria chiloensis</i>	0.5-1	spreads	Fast
Inside out flower	<i>Vancouveria hexandra</i>	1	Spreads	Fast



SYMBOL	PLANT
	Western hemlock
	Cascara
	Oceanspray
	Vine maple
	Indian plum
	Sword fern
	Salal
	Bald hip rose
	Low Oregon grape
	Vanilla leaf
	False solomon's seal
	Wood sorrel
	Bleeding heart
	Trillium

PLANTING PLAN: Dry, Shady Conditions


0 2 4 6 Feet

Produced by: DNRP GIS, Visual
Communications and Web Unit
File: 0604_DryShade.ai lpre



King County
Department of Natural Resources and Parks
Water and Land Resources Division

Common Name	Scientific Name	Height (ft.)	Width (ft.)	Growth Rate
Western hemlock	<i>Tsuga heterophylla</i>	225	30	Slow
Cascara	<i>Rhamnus purshiana</i>	40	20	Slow
Oceanspray	<i>Holodiscus discolor</i>	16	15	Moderate
Vine maple	<i>Acer circinatum</i>	25	6	Moderate
Indian plum	<i>Oemleria cerasiformis</i>	15	5-10	Fast
Sword fern	<i>Polystichum munitum</i>	3-6	3-6	Moderate
Salal	<i>Gaultheria shallon</i>	1-5	1-5	Moderate
Bald hip rose	<i>Rosa gymnocarpa</i>	5	3-5	Moderate-Fast
Low Oregon grape	<i>Mahonia nervosa</i>	3	3	Slow
Vanilla leaf	<i>Achlys triphylla</i>	1	spreads	Fast
False Solomon's seal	<i>Smilacina racemosa</i>	3	2	Moderate
Wood sorrel	<i>Oxalis oregana</i>	0.5	Spreads	Moderate
Bleeding heart	<i>Dicentra formosa</i>	1-1.5	1.5-2	Moderate
Trillium	<i>Trillium ovatum</i>	1.5	2	Slow



SYMBOL	PLANT
	Sitka spruce
	Cascara
	Pacific wax myrtle
	Serviceberry
	Red flowering currant
	Tall Oregon grape
	Spirea densiflora
	Goat's beard
	Snowberry
	Nootka rose
	Goldenrod
	Beach strawberry
	Camas
	Nodding onion
	Western columbine

PLANTING PLAN:
Moist, Sunny Conditions


0 2 4 6 Feet

Produced by: DNRP GIS, Visual
 Communications and Web Unit
 File: 0604_MoistSun.ai lpre



King County
 Department of Natural Resources and Parks
 Water and Land Resources Division

Common Name	Scientific Name	Height (ft.)	Width (ft.)	Growth Rate
Sitka spruce	<i>Picea sitchensis</i>	200	40	Moderate-Fast
Cascara	<i>Rhamnus purshiana</i>	40	20	Slow
Pacific wax myrtle	<i>Myrica californica</i>	15	15	Moderate
Serviceberry	<i>Amelanchier alnifolia</i>	15-30	10-20	Moderate
Red flowering currant	<i>Ribes sanguineum</i>	4-10	3-10	Fast
Tall Oregon grape	<i>Mahonia aquifolium</i>	5-8	2-8	Moderate
Subalpine spirea	<i>Spirea densiflora</i>	1-5	2-3	Fast
Goat's beard	<i>Aruncus dioecious</i>	4-6	6	Fast
Snowberry	<i>Symphoricarpos albus</i>	3-6	thicket	Fast
Nootka rose	<i>Rosa nutkana</i>	6-10	3-4	Moderate
Goldenrod	<i>Solidago canadensis</i>	2-6	2-3	Fast
Beach strawberry	<i>Fragaria chiloensis</i>	0.5-1	spreads	Fast
Camas	<i>Camassia leichtlinii</i>	2	0.5-1	Moderate
Nodding onion	<i>Allium cernuum</i>	1	.5	Moderate
Western columbine	<i>Aquilegia formosa</i>	3	1-2	Fast



SYMBOL	PLANT
	Western redcedar
	Grand fir
	Pacific dogwood
	Vine maple
	Indian plum
	Oceanspray
	Red osier dogwood
	Tall Oregon grape
	Evergreen huckleberry
	Salal
	Sword fern
	Maidenhair fern
	Deer fern
	Inside out flower
	Western columbine

PLANTING PLAN: Moist, Part Shady Conditions

0 2 4 6 Feet

Produced by: DNRP GIS, Visual
Communications and Web Unit
File: 0604_MoistPartShade.ai lpre



King County

Department of Natural Resources and Parks
Water and Land Resources Division

Common Name	Scientific Name	Height (ft.)	Width (ft.)	Growth Rate
Western red cedar	<i>Thuja heterophylla</i>	100-200	30	Moderate
Grand Fir	<i>Abies grandis</i>	200	40	Moderate
Pacific dogwood	<i>Cornus nuttallii</i>	60	30	Moderate
Vine maple	<i>Acer circinatum</i>	25	15-20	Moderate
Indian plum	<i>Oemleria cerasiformis</i>	15	5-10	Fast
Oceanspray	<i>Holodiscus discolor</i>	8-10	3-7	Fast
Red osier dogwood	<i>Cornus sericea</i>	15	6-9	Fast
Tall Oregon grape	<i>Mahonia aquifolium</i>	5-8	2-8	Moderate
Evergreen huckleberry	<i>Vaccinium ovatum</i>	6	6	Slow
Salal	<i>Gaultheria shallon</i>	1-5	1-5	Moderate
Sword fern	<i>Polystichum munitum</i>	3-6	3-6	Moderate
Maidenhair fern	<i>Adiantum aleuticum</i>	2-3	2	Moderate
Deer fern	<i>Blechnum spicant</i>	1-3	2	Slow
Inside out flower	<i>Vancouveria hexandra</i>	1	Spreads	Fast
Western columbine	<i>Aquilegia formosa</i>	3	1-2	Fast



SYMBOL	PLANT
	Western redcedar
	Western hemlock
	Cascara
	Vine maple
	Red osier dogwood
	Evergreen huckleberry
	Sword fern
	Low Oregon grape
	Deer fern
	Wild ginger
	Western trillium
	Vanilla leaf
	Piggy back plant

PLANTING PLAN:
Moist, Shady Conditions


0 2 4 6 Feet

Produced by: DNRP GIS, Visual
 Communications and Web Unit
 File: 0604_MoistShade.ai lpre



King County
 Department of Natural Resources and Parks
 Water and Land Resources Division

Common Name	Scientific Name	Height (ft.)	Width (ft.)	Growth Rate
Western red cedar	<i>Thuja heterophylla</i>	100-200	30	Moderate
Western hemlock	<i>Tsuga heterophylla</i>	225	30	Slow
Cascara	<i>Rhamnus purshiana</i>	40	20	Slow
Vine maple	<i>Acer circinatum</i>	25	15-20	Moderate
Red osier dogwood	<i>Cornus sericea</i>	15	6-9	Fast
Evergreen huckleberry	<i>Vaccinium ovatum</i>	6	6	Slow
Sword fern	<i>Polystichum munitum</i>	3-6	3-6	Moderate
Low Oregon grape	<i>Mahonia nervosa</i>	3	3	Slow
Deer fern	<i>Blechnum spicant</i>	1-3	2	Slow
Wild ginger	<i>Asarum caudatum</i>	0.5	3	Moderate
Western trillium	<i>Trillium ovatum</i>	1.5	2	Slow
Vanilla leaf	<i>Achlys triphylla</i>	1	spreads	Fast
Piggy back plant	<i>Tolmiea menziesii</i>	1	1.5	Fast



SYMBOL	PLANT
	Shore pine
	Oregon ash
	Pacific willow
	Pacific crabapple
	Pacific ninebark
	Red osier dogwood
	Highbush cranberry
	Swamp rose
	Goat's beard
	Hard stemmed bulrush
	Small fruited bulrush
	Lady fern
	Bog rosemary
	Slough sedge
	Wapato
	Golden eyed grass
	Camas

PLANTING PLAN: Wet, Sunny Conditions

0 2 4 6 Feet


Produced by: DNRP GIS, Visual
Communications and Web Unit
File: 0604_WetSun.ai lpre



King County

Department of Natural Resources and Parks
Water and Land Resources Division

Common Name	Scientific Name	Height (ft.)	Width (ft.)	Growth Rate
Shore pine	<i>Pinus contorta</i>	50	30	Moderate
Oregon ash	<i>Fraxinus latifolia</i>	75	25	Moderate
Pacific willow	<i>Salix lasiandra</i>	40	10-15	Fast
Pacific crabapple	<i>Malus fusca</i>	30	25	Moderate
Pacific ninebark	<i>Physocarpus capitatus</i>	8-12	4-7	Fast
Red osier dogwood	<i>Cornus sericea</i>	15	6-9	Fast
Highbush cranberry	<i>Viburnum edule</i>	12	8	Fast
Swamp rose	<i>Rosa pisocarpa</i>	6	3-5	Fast
Goat's beard	<i>Aruncus dioecious</i>	4-6	6	Fast
Hard stemmed bulrush	<i>Scirpus acutus</i>	9	Spreading	Fast
Small fruited bulrush	<i>Scirpus microcarpus</i>	5	4	Fast
Lady fern	<i>Athyrium filix-femina</i>	4	2	Moderate
Bog rosemary	<i>Andromeda polifolia</i>	1.5	1-2	Slow
Slough sedge	<i>Carex obnupta</i>	4	4	Moderate
Wapato	<i>Sagittaria latifolia</i>	1.5	Spreading	Fast
Golden eyed grass	<i>Sisyrinchium californicum</i>	1.5	0.5-1	Fast
Camas	<i>Camassia leichtlinii</i>	2	0.5-1	Moderate



PLANTING PLAN:
Wet, Part Shady Conditions


0 2 4 6 Feet

Produced by: DNRP GIS, Visual
 Communications and Web Unit
 File: 0604__WetPartShade.ai 1pr



King County
 Department of Natural Resources and Parks
 Water and Land Resources Division

Common Name	Scientific Name	Height (ft.)	Width (ft.)	Growth Rate
Western red cedar	<i>Thuja heterophylla</i>	100-200	30	Moderate
Sitka spruce	<i>Picea sitchensis</i>	200	40	Slow
Pacific wax myrtle	<i>Myrica californica</i>	15	15	Moderate
Red alder	<i>Alnus rubra</i>	50-100	40-50	Fast
Sitka willow	<i>Salix sitchensis</i>	10-20	20	Fast
Pacific ninebark	<i>Physocarpus capitatus</i>	8-12	4-7	Fast
Red osier dogwood	<i>Cornus sericea</i>	15	6-9	Fast
Highbush cranberry	<i>Viburnum edule</i>	12	8	Fast
Salmonberry	<i>Rubus spectabilis</i>	4-10	4-10	Moderate
Swamp rose	<i>Rosa pisocarpa</i>	6	3-5	Fast
Lady fern	<i>Athyrium filix-femina</i>	4	2	Moderate
Maidenhair fern	<i>Adiantum aleuticum</i>	2-3	2	Moderate
Slough sedge	<i>Carex obnupta</i>	4	4	Moderate
Deer fern	<i>Blechnum spicant</i>	1-3	2	Slow
Small fruited bulrush	<i>Scirpus microcarpus</i>	5	4	Fast
Swamp lantern	<i>Lysichiton americanus</i>	4	3	Moderate



SYMBOL	PLANT
	Western redcedar
	Cascara
	Pacific wax myrtle
	Red osier dogwood
	Vine maple
	Salmonberry
	Swamp lantern
	Lady fern
	Maidenhair fern
	Devil's club
	False lily of the valley
	Slough sedge
	Bunchberry

PLANTING PLAN: Wet, Shady Conditions

0 2 4 6 Feet

Produced by: DNRP GIS, Visual
Communications and Web Unit
File: 0604_WetShade.ai lpre



King County

Department of Natural Resources and Parks
Water and Land Resources Division

Common Name	Scientific Name	Height (ft.)	Width (ft.)	Growth Rate
Western red cedar	<i>Thuja heterophylla</i>	100-200	30	Moderate
Cascara	<i>Rhamnus purshiana</i>	40	20	Slow
Pacific wax myrtle	<i>Myrica californica</i>	15	15	Moderate
Red osier dogwood	<i>Cornus sericea</i>	15	6-9	Fast
Vine maple	<i>Acer circinatum</i>	25	6	Moderate
Salmonberry	<i>Rubus spectabilis</i>	4-10	4-10	Moderate
Swamp lantern	<i>Lysichiton americanus</i>	4	3	Moderate
Lady fern	<i>Athyrium filix-femina</i>	4	2	Moderate
Maidenhair fern	<i>Adiantum aleuticum</i>	2-3	2	Moderate
Devil's Club	<i>Oplopanax horridus</i>	3-9	3-6	Slow - Moderate
False lily of the valley	<i>Maianthemum dilatatum</i>	0.5-1	Spreads	Moderate
Slough sedge	<i>Carex obnupta</i>	4	4	Moderate
Bunchberry	<i>Cornus unalaschensis</i>	0.5-1	6-12	Slow